


09/04/03

1642



Express Mail No. **335857432 US**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

TECH CENTER 1600/2900

SEP 08 2003

RECEIVED

Application of: Klem, R.

Confirmation No.: 3607

Serial No.: 10/053,645

Group Art Unit: 1642

Filed: January 22, 2002

Examiner: To be assigned

For: METHODS AND COMPOSITIONS FOR  
TREATING A CELL-PROLIFERATIVE  
DISORDER USING CRE DECOY  
OLIGOMERS, BCL-2 ANTISENSE  
OLIGOMERS, AND HYBRID  
OLIGOMERS THEREOF

Attorney Docket No.: 10412-022

**INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.97 & §1.56**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**BEST AVAILABLE COPY**

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. §1.56 to inform the Patent and Trademark Office of all references coming to the attention of Applicants or their attorneys which are or may be related to patentability of the claimed invention, Applicants hereby direct the Examiner's attention to references **A01 to A04; B01 to B02; and C01 to C64**, which are listed on the accompanying revised PTO Form 1449.

Copies of the references **A01 to A04; B01 to B02; and C01 to C64**, are submitted herewith. Applicants respectfully request that the Examiner review the foregoing references and that the references be made of record in the file history of the application.

Identification of the listed references is not to be construed an admission by Applicants or their attorneys that such references are available as "prior art" against the subject application.

This Information Disclosure Statement is being filed before the mailing date of the first Office Action on the merits. Accordingly, no fee is believed to be required for this

submission. However, if a fee is due, the Commissioner is hereby authorized to charge the required fee to Pennie & Edmonds, LLP Deposit Account No. 16-1150. A copy of this sheet of this is enclosed for accounting purposes.


Date September 3, 2003

Respectfully submitted,

by: *Gaigeline Benn*  
*Laura A. Coruzzi* Reg No. 43,492  
30,742

Laura A. Coruzzi (Reg. No.)  
PENNIE & EDMONDS LLP  
1155 Avenue of the Americas  
New York, New York 10036-2711  
(212) 790-9090

BEST AVAILABLE COPY



## LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

10412-022

APPLICATION NO

10/053,645

APPLICANT

Robert E. Klem

FILING DATE

January 22, 2002

GROUP

1642

## U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A01	5,734,033	03/31/1998				
	A02	5,831,066	11/03/1998				
	A03	6,040,181	03/21/2000				
	A04	6,060,310	05/09/2000				

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	B01	WO 88/09810	12/15/1988	PCT				
	B02	WO 89/10134	11/02/1989	PCT				

## OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

	C01	Ameis et al., 1990, "Isolation and Characterization of the Human Hepatic Lipase Gene," J Biol Chem. 265(12):6552-6555
	C02	Asseline et al., 1984, "Nucleic acid-binding molecules with high affinity and base sequence specificity: Intercalating agents covalently linked to oligodeoxynucleotides," Proc. Natl Acad. Sci. USA 81:3297-3301
	C03	Bishop, The Molecular Genetics of Cancer," citing Cellular Oncogenes and Retroviruses," Science, 235:305-311 (1987)
	C04	Blake et al., 1985, "Inhibition of Rabbit Globin mRNA Translation by Sequence-Specific Oligodeoxyribonucleotides," Biochemistry 24:6132-38
	C05	Boutorin et al., 1984, "Complementary addressed reragents carrying EDTA-Fe(II) groups for directed cleavage of single-stranded nucleic acids," FEBS Letters 172:43-6
	C06	Brown et al., 1987, "lac Repressor Can Regulate Expression From A Hybrid SV40 Early Promoter Containing A Lac Operator In Animal Cells," Cell 49(5):603-612
	C07	Burt et al., 1989, "Identification Of Negative And Positive Regulatory Elements In The Human Renin Gene," J Biol Chem. 264(13):7357-62
	C08	Changelian et al., 1989, "Structure of the NGFI-A gene and detection of upstream sequences responsible for its transcriptional induction by nerve growth factor," Proc Natl Acad Sci USA 86(1):377-81
	C09	Chen et al., 1986, "Nuclease activity of 1,10-phenanthroline-copper: Sequence-specific targeting," Proc. Natl. Acad. Sci. USA 83:7147-51
	C10	Cho-Chung, 1998, "CRE-Palindrome Oligonucleotide As A Transcription Factor Decoy And An Inhibitor Of Tumor Growth," Antisense Nucleic Acid Drug Dev. 8(2):167-70
	C11	Chu et al., 1985, "Nonenzymatic sequence-specific cleavage of single-stranded DNA," Proc. Natl. Acad. Sci. USA 82:963-7
	C12	Comb et al., 1986, "A cyclic AMP- and phorbol ester-inducible DNA element," Nature 323:353
	C13	Desbarats et al., 1992, "Identification of a Unique cAMP-Response Element in the Gene Encoding the Cell Adhesion Molecule Gp80 In Dictyostelium Discoideum," J Biol Chem. 267(27):19655-64
	C14	Egholm et al., 1992, "Peptide Nucleic Acids (PNA)-Oligomer Analogues With An Achiral Peptide Backbone" J. Am. Chem. Soc. 114:1895-1897
	C15	Freeland et al., 1988, "Nucleotide sequence of the region upstream of the rat growth hormone gene," GenBank Accession No. X12967
	C16	Gautier et al., 1987, $\alpha$ -DNA IV: $\alpha$ -anomeric and $\beta$ -anomeric tetrathymidylates covalently linked to intercalating oxazolopyridocarbazole. Synthesis, physicochemical properties and poly (rA) vbinding," Nucleic Acids Res. 15:6625-6641

	C17	Goodchild, 1990, "Conjugates Of Oligonucleotides And Modified Oligonucleotides: A Review Of Their Synthesis And Properties," Bioconjug. Chem. 1(3):165-87
	C18	Hla and Neilson, 1992 "Human cyclooxygenase-2 cDNA," Proc Natl Acad Sci USA 89(16):7384-8
	C19	Hu and Davidson, 1988, "The inducible <i>lac</i> operator-repressor system is functional for control of expression of injected DNA in <i>Xenopus</i> oocytes," Gene. 62(2):301-13)
	C20	Hyrup et al., 1996, "Peptide Nucleic Acids (PNA): Synthesis, Properties and Potential Applications," Bioorganic & Medicinal Chemistry 4(1): 5-23
	C21	Inoue et al., 1987, "Sequence-dependent hydrolysis of RNA using modified oligonucleotide splints and RNase H," FEBS Lett. 215:327-30
	C22	Inoue et al., 1987, "Synthesis and hybridization studies on two complementary nona(2'-O-methyl)ribonucleotides," Nucleic Acids Res. 15:6131-48
	C23	Izuhara et al., 1995, "Transcription of the rat liver uricase-encoding gene is regulated via a cis-acting element responsive to cAMP," Gene. 167(1-2):267-72
	C24	Jansen et al., 1995, "Neuroendocrine-Specific Expression of the Human Prohormone Convertase 1 Gene: Hormonal Regulation of Transcription through Distinct cAMP Response Elements," J Biol Chem. 270(25):15391-7
	C25	Knorre et al., 1985, "Reactive oligonucleotide derivatives and sequence-specific modification of nucleic acids," Biochemie 67:785-9
	C26	Kobayashi K, Kurosawa Y, Fujita K, Nagatsu T., 1989, "Human dopamine $\beta$ -hydroxylase gene: two mRNA types having different 3'-terminal regions are produced through alternative polyadenylation.," Nuc Acids Res. 17(3):1089-1102
	C27	Lemaitre et al., 1987, "Specific antiviral activity of a poly(L-lysine)-conjugated oligodeoxyribonucleotide sequence complementary to vesicular stomatitis virus N protein mRNA initiation site," Proc. Natl. Acad. Sci. USA 84:648-52
	C28	Letsinger et al., 1989, "Cholesteryl-conjugated oligonucleotides: synthesis, properties, and activity as inhibitors of replication of human immunodeficiency virus in cell culture," Proc. Natl. Acad. Sci. USA 86:6553-6
	C29	Mahata et al., 1996, "Dispersion of Chromogranin/Secretogranin Secretory Protein Family Loci in Mammalian Genomes," Genomics 33(1):135-9
	C30	Miller et al., 1988, "Structure of a Gap Junction Gene: Rat Connexin-32," Biosci Rep. 8(5):455-64
	C31	Monia et al., 1993, "Evaluation of 2'-Modified Oligonucleotides Containing 2' Deoxy Gaps as Antisense Inhibitors of Gene Expression," J. Biol. Chem. 268:14514-22
	C32	Morishita et al., 1998, "Application of Transcription Factor 'decoy' Strategy as Means of Gene Therapy and Study of Gene Expression in Cardiovascular Disease," Circ Res. 82(10):1023-8
	C33	Morvan et al., 1986, "alpha-DNA. I. Synthesis, characterization by high field $^1\text{H}$ -NMR, and base-pairing properties of the unnatural hexadeoxyribonucleotide alpha-[d(CpCpTpTpCpC)] with its complement beta-[d(GpGpApApGpG)]. Nucl. Acids Res. 14:5019-32
	C34	Nielsen et al., 1993, "Peptide nucleic acids (PNAs): Potential antisense and anti-gone agents," Anticancer Drug Des 8:53-63
	C35	Ogawa et al., 1994, "Molecular Cloning and Chromosomal Assignment of the Mouse C-Type Natriuretic Peptide (CNP) Gene (Nppc): Comparison with the Human CNP Gene (NPPC)" Genomics 24(2):383-7
	C36	Ogawa et al., 1995, "Characterization of the 5'-flanking region and chromosomal assignment of the human brain natriuretic peptide gene," J Mol Med. 73(9):457-63
	C37	Park et al., 1999, "Dual Blockade of Cyclic AMP Response Element-(CRE) and AP-1-Directed Transcription by CRE-Transcription Factor Decoy Oligonucleotide Gene-Specific Inhibition of Tumor Growth," J. Biol. Chem. 274:1573-80
	C38	Perez-Albuerne et al., 1993, "Transcriptional regulatory elements downstream of the JunB gene," Proc. Natl. Acad. Sci. USA 90(24):11960-4
	C39	Sarabia and Liehr, 1999, "Differential Regulation of C-Fos Expression in Estrogen-Induced Hamster Renal Tumors Compared With Kidney Not Due To Creation of an Estrogen-Response Element by Point Mutation in the Gene's Flanking Sequence," Mol Carcinog. 24(4):255-62
	C40	Schmoll et al., 1999, "Identification of a cAMP response element within the glucose-6-phosphatase hydrolytic subunit gene promoter which is involved in the transcriptional regulation by cAMP and glucocorticoids in H4IIE hepatoma cells," Biochem J. 338 (Pt 2):457-63
	C41	Sensel et al., 1990, "Isolation and characterization of clones for the rat hepatic lipase gene upstream regulatory region" Biochim Biophys Acta. 1048:297-302
	C42	Short et al., 1986, "Characterization of the Phosphoenolpyruvate Carboxykinase (GTP) Promoter-regulatory Region. II. Identification of cAMP and Glucocorticoid Regulatory Domains," J. Biol. Chem. 261:9721-6
	C43	Stein et al., 1988, "Physicochemical properties of phosphorothioate oligodeoxynucleotides," Nucl. Acids Res., 16:3209-21
	C44	Thomas et al., 1990, "Z-DNA formation in the rat growth hormone gene promoter region," Mol Cell Biol. 10(10):5378-87
	C45	Tomita et al., 1997, "A Novel Strategy for Gene Therapy and Gene Regulation Analysis Using Transcription Factor Decoy Oligonucleotides," Exp Nephrol. 5(5):429-34
	C46	Tsujimoto et al., "Involvement of the bcl-2 gene in Human Follicular Lymphoma," Science 228:1440-3 (1985)
	C47	Tsukada et al., 1987, "Identification of a Region in the Human Vasoactive Intestinal Polypeptide Gene Responsible for Regulation by Cyclic AMP," J. Biol. Chem. 262:8743
	C48	Van der Krol et al., 1988, "Modulation of Eukaryotic Gene Expression by Complementary RNA or DNA Sequences," BioTechniques 6:958-976-7

BEST AVAILABLE COPY



		VanBeveren et al., 1983, "Analysis of FBJ-MuSV Provirus and c-fos (Mouse) Gene Reveals That Viral and Cellular fos Gene Products Have Different Carboxy Termini," Cell 32:1241-55
	C50	Verma and Eckstein, 1998, "Modified Oligonucleotides: Synthesis and Strategy for Users," Annu Rev Biochem. 67:99-134
	C51	Virkkunen et al., 1994, "Structural Comparison Of Human And Rat Prostate-Specific Acid Phosphatase Genes And Their Promoters: Identification Of Putative Androgen Response Elements," Biochem Biophys Res Commun. 202(1):49-57
	C52	Vitale et al., 1991, "Molecular cloning of the mouse CCK gene: expression in different brain regions and during cortical development," Nucleic Acids Res. 19(1):169-77
	C53	Vlassov et al., 1986, "Complementary addressed modification and cleavage of a single stranded DNA fragment with alkylating oligonucleotide derivatives," Nucl. Acids Res. 14:4065-76
	C54	Webb et al., 1986, "Hybridization triggered cross-linking of deoxyoligonucleotides," Nucl. Acids Res. 14:7661-74
	C55	Yao et al., 1999, "Molecular Cloning and Sequence Analysis of the 5'-Flanking Region of the Sprague-Dawley Rat Thrombomodulin Gene," DNA Seq. 10(1):55-60
	C56	Yokoyama et al., 1991, "Molecular Cloning Of Human Platelet Thromboxane A Synthase," Biochem Biophys Res Comm. 178(3):1479-84
	C57	Zhu et al., 1992, "Promoter Organization and Activity of Human Monoamine oxidase (MAO) A and B Genes," J Neurosci. 12(11):4437-46
	C58	Zon, 1988, "Oligonucleotide Analogues as Potential Chemotherapeutic Agents," Pharm. Res. 5:539-549
	C59	Alper et al., 2001, "Apoptosis, Growth Arrest And Suppression Of Invasiveness By CRE-Decoy Oligonucleotide In Ovarian Cancer Cells: Protein Kinase A Downregulation And Cytoplasmic Export Of CRE-Binding Proteins," Mol. Cell. Biochem. 218:55-63
	C60	Cho, et al., 2000, "Biochemical Characterization Of Extracellular cAmp-Dependent Protein Kinase As A Tumor Marker," Biochem. and Biophys. Res. Comm. 278:679-684
	C61	Cho-Chung et al., 2000, "CRE-Decoy Oligonucleotide-Inhibition of Gene Expression and Tumor Growth," Mol. and Cell. Biochem. 212:29-34
	C62	Cho-Chung et al., 1999, "Oligonucleotides as Transcription Factor Decoys," Curr. Opin. Mol. Ther. 1(3):386-392
	C63	Lee et al., 2000, "CRE-Transcription Factory Decoy Oligonucleotide Inhibition Of MCF-7 Breast Cancer Cells: Cross-Talk With p53 Signaling Pathway," Biochem. 39:4863-4868
	C64	Park et al., 2001, "Reduction In Cyclin D1/Cdk4/Retinoblastoma Protein Signaling By CRE-Decoy Oligonucleotide," Biochem. and Biophys. Comm. 281:1213-1219

EXAMINER

DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

BEST AVAILABLE COPY